



SGS COLOMBIA S.A.S.
CRS-F490101
ORDEN No. 4200-31559
CERTIFICADO No. CRS14475
ORDEN CERT. No. CO-CERT190701138-11
CERTIFICADO DE CONFORMIDAD DE PRODUCTO
ILUMAX S.A.
Carrera 35 No. 10-532 Bodega 3 Acopi, Yumbo, Valle del Cauca, Colombia

Certifica que el producto identificado como Luminaria Tipo LED Para Uso Interior, Marca: ILUMAX / ILM / BAO / PLUSLITE / CLARK, importados y/o fabricados y comercializados en Colombia por ILUMAX S.A., con referencias relacionadas en las siguientes páginas del presente documento, han sido evaluados de conformidad con:

Resolución 180540 del 30 de Marzo de 2010 del Ministerio de Minas y Energía - por lo cual se expide el Reglamento Técnico de Iluminación y Alumbrado Público – RETILAP.
Sección 320 LUMINARIAS

Estos productos han sido sometidos a toma de muestras, inspección, ejecución de pruebas de laboratorio y evaluación del sistema de gestión de calidad del fabricante de acuerdo con el esquema de certificación 5 de la norma ISO/IEC 17067:2013.

Resultados obtenidos: CONFORME

Autorizado por:

SGS COLOMBIA S.A.S.

Camilo Ramirez
SGS Colombia S.A.S.
Carrera 100 No. 25C-11, Bodega 3
Bogotá D.C., Colombia

Fecha de Emisión: 2019-08-17
Fecha de Vencimiento: 2024-08-17
Versión 5; 2020-02-20

Página 1 de 5



This document cancels and supersedes the last version of this certificate number issued by SGS Colombia S.A.S.

Any complaint, appeal or enquiry about the validity of this certificate/report may be sent to co.servicioalcliente@sgs.com, via phone No. 7422274 ext. 13602 and its validity can be checked at <https://www.sgs.com/en/certified-clients-and-products>

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CRS-C-06-05 V.4 junio 2019





SGS COLOMBIA S.A.S.

CRS-F490101

ORDEN No. 4200-31559

CERTIFICADO No. CRS14475

ORDEN CERT. No. CO-CERT190701138-11

CERTIFICADO DE CONFORMIDAD DE PRODUCTO

ILUMAX S.A.

Carrera 35 No. 10-532 Bodega 3 Acopi, Yumbo, Valle del Cauca, Colombia

Luminaria Tipo LED Para Uso Interior, Marca: ILUMAX / ILM / BAO / PLUSLITE / CLARK

REFERENCIAS	POTENCIA NOMINAL (W)	TENSIÓN NOMINAL (V)	DESCRIPCIÓN
316	3	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED incrustar
319	6	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Redondo de incrustar
321	6	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Redondo de incrustar
504	18	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED de incrustar
521	5	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Redondo de incrustar
793	30	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED incrustar
891	18	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED Sobreponer
892	12	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED Sobreponer
893	6	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED Sobreponer
934	12	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED incrustar
936	12	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED incrustar
937	12	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED incrustar
940	18	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED incrustar
941	18	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED incrustar
945	18	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED Sobreponer
946	12	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED Sobreponer
947	6	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED Sobreponer
1283	3	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Redondo de Incrustar
1284	6	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Redondo de Incrustar
1285	12	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Redondo de Incrustar

Fecha de Emisión: 2019-08-17

Fecha de Vencimiento: 2024-08-17

Versión 5; 2020-02-20

Página 2 de 5



This document cancels and supersedes the last version of this certificate number issued by SGS Colombia S.A.S.

Any complaint, appeal or enquiry about the validity of this certificate/report may be sent to so.servicioalcliente@sgs.com, via phone No. 7422274 ext. 13602 and its validity can be checked at <https://www.sgs.com/en/certified-clients-and-products>

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CRS-C-06-05 V.4 junio 2019





SGS COLOMBIA S.A.S.

CRS-F490101

ORDEN No. 4200-31559

CERTIFICADO No. CRS14475

ORDEN CERT. No. CO-CERT190701138-11

CERTIFICADO DE CONFORMIDAD DE PRODUCTO

ILUMAX S.A.

Carrera 35 No. 10-532 Bodega 3 Acopi, Yumbo, Valle del Cauca, Colombia

REFERENCIAS	POTENCIA NOMINAL (W)	TENSIÓN NOMINAL (V)	DESCRIPCIÓN
1286	18	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Redondo de Incrustar
1287	18	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Redondo de Sobreponer
1288	12	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Redondo de Sobreponer
1289	6	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Redondo de Sobreponer
1292	24	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Redondo de incrustar
1293	24	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Redondo de Sobreponer
1399	9	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED incrustar
1400	9	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Redondo LED incrustar
466	48	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel cuadrado LED ultradelgado de incrustar
794	48	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel cuadrado LED ultradelgado de incrustar
848	48	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel cuadrado LED ultradelgado de incrustar
849	48	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel cuadrado LED ultradelgado de incrustar
882	18	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Cuadrado de Sobreponer
883	12	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Cuadrado de Sobreponer
884	6	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Cuadrado de Sobreponer
888	18	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel cuadrado LED ultradelgado de incrustar
897	12	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel cuadrado LED ultradelgado de incrustar
898	6	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Cuadrado LED
942	18	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Cuadrado de Sobreponer
943	12	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Cuadrado de Sobreponer
944	6	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Cuadrado de Sobreponer
1264	24	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Cuadrado LED

Fecha de Emisión: 2019-08-17

Fecha de Vencimiento: 2024-08-17

Versión 5; 2020-02-20

Página 3 de 5



This document cancels and supersedes the last version of this certificate number issued by SGS Colombia S.A.S.

Any complaint, appeal or enquiry about the validity of this certificate/report may be sent to so.servicioalcliente@sgs.com, via phone No. 7422274 ext. 13602 and its validity can be checked at <https://www.sgs.com/en/certified-clients-and-products>

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/clients_and_products.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CRS-C-06-05 V.4 junio 2019





SGS COLOMBIA S.A.S.

CRS-F490101

ORDEN No. 4200-31559

CERTIFICADO No. CRS14475

ORDEN CERT. No. CO-CERT190701138-11

CERTIFICADO DE CONFORMIDAD DE PRODUCTO

ILUMAX S.A.

Carrera 35 No. 10-532 Bodega 3 Acopi, Yumbo, Valle del Cauca, Colombia


REFERENCIAS	POTENCIA NOMINAL (W)	TENSIÓN NOMINAL (V)	DESCRIPCIÓN
1265	40	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Cuadrado LED
1281	40	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Cuadrado de Incrustar 60X60
1282	40	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Cuadrado de Incrustar 120X30
1290	24	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Cuadrado de Incrustar
1291	24	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Cuadrado de Sobreponer
1408	24	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Cuadrado de Incrustar 30X30
1409	24	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Cuadrado de Incrustar 30X30
1410	48	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Cuadrado de Incrustar 120X30
1489	9	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED Redondo de Incrustar
1500	40	(100-240, 100-265, 100-277, 110-130, 85-265)	Blacklight 60x60
1033	13	(100-240, 100-265, 100-277, 110-130, 85-265)	Downlight LED 3 Colores de Luz
1449	3	(100-240, 100-265, 100-277, 110-130, 85-265)	Bala LED Escalizable Integrada
1450	3	(100-240, 100-265, 100-277, 110-130, 85-265)	Bala LED Escalizable Integrada
1473	1	(100-240, 100-265, 100-277, 110-130, 85-265)	Mini Down Light
1474	1	(100-240, 100-265, 100-277, 110-130, 85-265)	Mini Down Light
1475	5	(100-240, 100-265, 100-277, 110-130, 85-265)	Bala LED Escalizable Integrada
1476	5	(100-240, 100-265, 100-277, 110-130, 85-265)	Bala LED Escalizable Integrada
1477	5	(100-240, 100-265, 100-277, 110-130, 85-265)	Bala LED Escalizable Integrada
1372	18	(100-240, 100-265, 100-277, 110-130, 85-265)	Regleta LED T8
1780	24	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Led redondo de sobreponer
1781	24	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Led redondo de sobreponer
1782	24	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Led cuadrado de sobreponer
1783	24	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel led cuadrado de incrustar

Fecha de Emisión: 2019-08-17

Fecha de Vencimiento: 2024-08-17

Versión 5; 2020-02-20

Página 4 de 5



This document cancels and supersedes the last version of this certificate number issued by SGS Colombia S.A.S.

Any complaint, appeal or enquiry about the validity of this certificate/report may be sent to cp_serviciocliente@sgs.com, via phone No. 7422274 ext. 13602 and its validity can be checked at <https://www.sgs.com/en/certified-clients-and-products>

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CRS-C-06-05 V.4 junio 2019





SGS COLOMBIA S.A.S.

CRS-F490101

ORDEN No. 4200-31559

CERTIFICADO No. CRS14475

ORDEN CERT. No. CO-CERT190701138-11

CERTIFICADO DE CONFORMIDAD DE PRODUCTO

ILUMAX S.A.

Carrera 35 No. 10-532 Bodega 3 Acopi, Yumbo, Valle del Cauca, Colombia

REFERENCIAS	POTENCIA NOMINAL (W)	TENSIÓN NOMINAL (V)	DESCRIPCIÓN
1784	6	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel Led redondo de incrustar
1786	1	(100-240, 100-265, 100-277, 110-130, 85-265)	Mini Downlight
1787	1	(100-240, 100-265, 100-277, 110-130, 85-265)	Mini Downlight
1788	12	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel led cuadrado de incrustar
1789	18	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel led cuadrado de incrustar
1806	40	(100-240, 100-265, 100-277, 110-130, 85-265)	Blacklight 60 x 60
1804	3	(100-240, 100-265, 100-277, 110-130, 85-265)	LED Spot Blanco
1805	3	(100-240, 100-265, 100-277, 110-130, 85-265)	LED Spot Blanco
1820	7	(100-240, 100-265, 100-277, 110-130, 85-265)	LED Spot Integrado Redondo
1821	7	(100-240, 100-265, 100-277, 110-130, 85-265)	LED Spot Integrado Redondo
1822	7	(100-240, 100-265, 100-277, 110-130, 85-265)	LED Spot Integrado Cuadrado
499	48	(100-240, 100-265, 100-277, 110-130, 85-265)	Panel LED cuadrado de incrustar 60 x 60

FIN DEL DOCUMENTO

Fecha de Emisión: 2019-08-17

Fecha de Vencimiento: 2024-08-17

Versión 5; 2020-02-20

Página 5 de 5



This document cancels and supersedes the last version of this certificate number issued by SGS Colombia S.A.S.

Any complaint, appeal or enquiry about the validity of this certificate/report may be sent to co.servicioalcliente@sgs.com, via phone No. 7422274 ext. 13602 and its validity can be checked at <https://www.sgs.com/en/certified-clients-and-products>

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CRS-C-06-05 V.4 junio 2019

